



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/608,303	06/30/2000	Brian J. Hopkins	6707.US.O1	9823

7590

05/09/2002

Steven F Weinstock
Abbott Laboratories
Department 377 AP6D 2
100 Abbott Park Road
Abbott Park, IL 60064-6050

EXAMINER

DEAK, LESLIE R

ART UNIT

PAPER NUMBER

3762

DATE MAILED: 05/09/2002

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/608,303

Applicant(s)

HOPKINS ET AL.

Examiner

Leslie R. Deak

Art Unit

3762

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 30 June 2000.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-14 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-14 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 30 June 2000 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
* See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892) 4) ☐ Interview Summary (PTO-413) Paper No(s). _____
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948) 5) ☐ Notice of Informal Patent Application (PTO-152)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 4. 6) ☐ Other: _____

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 1-11 and 14 are rejected under 35 U.S.C. 102(b) as being anticipated by US 1,366,789 to Graham. Graham discloses a liquid-receptacle attachment with receptacle engaging projections 17, 18, and 19 that are concentric, increasing in diameter from one another (column 2, lines 82-87, FIG 3). The engaging projections, optionally including a screw ring, are sized to engage a small, medium, or large-necked bottle, as needed (column 2, lines 60-67, FIGS 2-4). Furthermore, the attachment contains an outlet opening 22, from which fluid may flow into another container (column 2, lines 104-106, FIGS 3-4).

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claim 12 is rejected under 35 U.S.C. 103(a) as being unpatentable over US 1,366,789 to Graham in view of US 4,614,437 to Buehler. Graham discloses the apparatus as claimed with the exception of a spike located on the attachment. Buehler

Art Unit: 3762

discloses a mixing container and adapter with annular openings capable of engaging bottles of two different diameters (FIGS 1, 3), and a cutting sleeve 34 with an angled tip 36 for pierce seals of containers to permit mixing therebetween (column 4, lines 38-42). Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to add a spike for piercing containers to allow mixing, as disclosed by Buehler, to the three-size attachment disclosed by Graham in order to permit mixing between sealed containers.

5. Claim 13 is rejected under 35 U.S.C. 103(a) as being unpatentable over US 1,366,789 to Graham in view of US 4,614,437 to Buehler as in paragraph 4 above, in view of US 4,010,756 to DuMont et al. The modified Graham device discloses the apparatus as claimed, but does not disclose a weakened portion for breaking away the spike or needle. Break-away needles are well-known in the art, and providing a weakened portion of the needle aids in breaking the needle. DuMont discloses a needle with a weakened zone 4b to facilitate the breakage of the needle at the weakened zone (column 2, lines 41-42, 55-58, FIG 1). Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to provide a weakened zone as disclosed by DuMont in the needle of the modified Graham attachment in order to facilitate easy needle breakage at a precise location, as taught by DuMont.

Conclusion

6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure:

- a. US 3,850,341 Bart

Art Unit: 3762


- i. Closure for plurality of different sized openings
- b. US 5,071,413 Utterberg
- ii. Universal connector with spike
- c. US 6,139,534 Niedospial, Jr. et al
- iii. Vial access adapter with spike and luer connector

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Leslie R. Deak whose telephone number is 703-305-0200. The examiner can normally be reached on M-F 7:30-5:00, every other Friday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Angela Sykes can be reached on 703-308-5181. The fax phone numbers for the organization where this application or proceeding is assigned are 703-305-3590 for regular communications and 703-305-3590 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0873.


Lrd
April 25, 2002


ANGELA D. SYKES
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3700